Date:

Wednesday, 10/10/2007 11:04:24 AM

User: Kim Johnston **Process Sheet** : CABIN FLOOR PROTECTOR Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 35091 : 12971 **Estimate Number** NA : D35755 Part Number P.O. Number S.O. No. : MA **Drawing Number** - D3575 REV.A This Issue : N/A Prsht Rev. Project Number : SMALL /MED FAB First Issue Type **Drawing Revision** Material Previous Run Each : 11/2/2007 Qty: 2 Um: **Due Date** Written By Checked & Approved By EC Comment New Issue 07.07.23 verified by:JLM Additional Product Job Number: Description: **Machine Or Operation:** Seq. #: 1.0 F60029 lexan grey Comment: Qty.: 10.6660 sf(s)/Unit Total: 21.3320 sf(s) F60029 lexan sheet 103106 Batch: 2.0 WATER JET Comment: FLOW WATER JET 1-Cut as per Dwg D3575 1B07-10-17 Dwg Rev:_ Prog Rev:__ 2-Deburr if necessary 3.0 QC2 HB 07-10-17 Comment: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 SECOND CHECK QC8 Comment: SECOND CHECK 5.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

SAN

81-01-70



Dart A	Aeros	pace	Ltd
--------	-------	------	-----

W/O: WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				İ			

art No.	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: 07/16/3
			QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
D.4.T.F.		Description of NC		Corrective Action Section B		Varification		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
				•				
						1		

NOTE: Date & initial all entries

Date: User:

Wednesday, 10/10/2007 11:04:25 AM

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: CABIN FLOOR PROTECTOR

Job Number: 35091

Seq. #:

Job Number:

Machine Or Operation:

Description:

Part Number: D35755

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

7.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

FINAL INSPECTION/W/O RELEASE



8.0

QC21



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



a 24025


rospace Ltd	d							
W/O: WORK ORDER CHANGES								
STEP	PR	PROCEDURE CHANGE		Date	ate Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
				İ				
							1	
	PAR #:	Fault Category:	NCR: Yes	No E	QA:	Date:		
			QA:	N/C Clos	sed:			
		WORK ORDER NON-CON	FORMANCE (NC	R)				
	STEP	:PAR #:	STEP PROCEDURE CHANGE :PAR #: Fault Category:	WORK ORDER CHANGES STEP PROCEDURE CHANGE By :PAR #:Fault Category:NCR: Yes QA:	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date Qty :	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr	

NCR:	WORK ORDER NON-CONFORMANCE (NCR)							
	DATE STED Description of		Corrective Action			Verification	A	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
						j		
	1		1 1					,

NOTE: Date & initial all entries







D3575-1 CABIN FLOOR PROTECTOR (SHOWN) D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICKSHOP COPY RETURN TO TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04) ENGINEERING

2) FINISH: NONE


- UNCONTROLLED COPY 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INKSUMARKER AMENDMENT ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX


7) CHECK PER TEMPLATE DT8966

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-3 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04) SHOP COPY
- 2) FINISH: NONE

- RETURN TO 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED **ENGINEERING** 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKEROLLED COP ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX

CHECK PER TEMPLATE DT8967


SUBJECT TO AMENDMENT WITHOUT NOTICE


WORK ORDE

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-4 CABIN FLOOR PROTECTOR

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04) SHOP COPY RETURN TO
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- ENGINEERING 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKERD COPY ON SMOOTH SIDE OF PART SUBJECT TO AMENDMENT WITHOUT NOTICE


WORK ORDE


- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-5 CABIN FLOOR PROTECTOR (SHOWN) D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART

 5) ALL DIMENSIONS ADD IN MOUTE OF THE POINT PERMANENT ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX

7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

SHOP COPY

RETURN TO

SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER

DART AEROSPACE LTD	Work Order:	35091
Description: CABIN Floor PROTECTOR	Part Number:	D3\$75-5
Inspection Dwg: D3575 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article	Prototype
-----------------	-----------

Drawing .	Tolerance	Actual	Accept	Reject	Method of	Comments
Dimension		Dimension			Inspection	
3.38	4/- 030	3.38 6.50				
6.50	4630	6.50		,		
26.13	4034	2,13				
30.13	1630	36,03				
3.00	1/030	<i>∞</i> 6				
3.50	4/030	3.50				
14.25	+/ 030	14.2				,
52.13	4030	25.26				
29.38	1030	29.38 30.38		,		
30.38	4/030	30.38				
31.50	403	31.50				
1.00	4- 030	1.00				
4.38	1/- ,030	4.38				
	*/- ,07b	14.50				
	4/030	16.00				
	7030	23,13				
36.88	1030	26.88				
37.69	1030	37.69				
1.00	1-1020	60.1				
3.75	7030	3.75				
16,15	7-,020	16.13				
	4030	28.06				
32.15		37.15				
	7030 /030	2.996				· · ·

Measured by: IB Audited by: Prototype Approval:

Date: 07-10-17 Date: 01/11/7 Date:

Rev	Date	Change	Revised by	Approved	1
A		New Issue	KJ/JLM		